XSMATECH

PVC · EVA · TPU · PE FILM | YIWU, CHINA



Product catalogue

2026 / 2027 edition

8
calender & blown film lines

1,062 t
stock across 94 grades


308
shades on the colour card

3 days
dispatch on stock colours

admin@xsmatech.com · WhatsApp +86 138 2608 3558 · xsmatech.com

PVC film


Rigid and semi-rigid PVC, 0.06-0.5 mm, up to 1.52 m wide.



Glossy / clear



Coloured matte



Gold glitter

Specification

Thickness	0.06 - 0.50 mm
Width	up to 1,520 mm
Finish	clear, tinted, opaque, matte, embossed, glitter, holographic
Colour card	308 shades; 1,000+ stock colours
Uses	cosmetic bags, stationery, book covers, packaging windows
Packing	rolls, hard tube core, PE wrapped, palletised

Typical applications

- Cosmetic bags, toiletry pouches and clear windows for retail packaging
- Stationery: book covers, document folders, pencil cases, badge holders
- Decorative overlays and craft: glitter, holographic and embossed effects
- Table covers, protective covers and industrial curtains


Prices are quoted against the current resin market - ask for a quotation.

EVA / PEVA film


Plasticiser-free, low odour, 0.05-1.0 mm.



Brushed texture



Solid white matte



Polka dot

Specification

Thickness	0.05 - 1.00 mm
Grade	plasticiser-free, low odour
Compliance	REACH, RoHS, EN 71-3 on request
Uses	pouches, toiletry bags, children's products, packaging
MOQ	50 kg stock colour; 1 tonne custom
Lead time	3 days stock / 10-15 days custom

Typical applications

- Food-contact packaging, tray liners and pouches
- Children's products: pencil cases, lunch bags, waterproof covers
- Toiletry and travel bags, shower curtains, beach bags
- Packaging windows and protective sleeves for retail boxes


Prices are quoted against the current resin market - ask for a quotation.

TPU film

0.05-2.0 mm, 85A-95A, weldable and hydrolysis resistant.



Clear TPU



Iridescent embossed



Coloured translucent

Specification

Thickness	0.05 - 2.00 mm
Hardness	85A - 95A
Finish	clear, coloured, matte, embossed, iridescent
Processing	high frequency and hot air weldable
Uses	bag windows, clear panels, footwear, inflatables
MOQ	1 tonne custom; stock colours from 50 kg

Typical applications

- Clear panels and windows in bags, backpacks and luggage
- Footwear: toe caps, trims, reinforcements
- Inflatables, protective covers, medical and sports accessories
- Weldable clear panels for tents, awnings and industrial covers


Prices are quoted against the current resin market - ask for a quotation.

Made in our own plant

We calender, blow, test and load in Yiwu - our own dock, not a forwarder's yard.



Calender lines



Gauge checked



Own warehouse



Loading here

At a glance

Production lines	8 (calendering + blown film)
Plant area	10,000 m2
Monthly capacity	about 3,000 tonnes
Stock held	1,062 tonnes / 94 grades
Colour card	308 shades, 1,000+ stock colours
Thickness tolerance	+/- 0.02 mm
Certifications	REACH (SVHC), RoHS, EN 71-3 by SGS
Ports	Yiwu / Ningbo / Guangzhou (FOB or CIF)

How to order

1. **Send the specification**
   Grade, thickness, width, colour reference, monthly volume.

2. **We confirm and quote**
   Firm price against today's resin market, within one working day.

3. **Sample if needed**
   A4 colour card free; sample rolls charged and refunded on first order.

4. **Production**
   Stock colours 3 days; custom runs 10-15 days from deposit.

Contact

Oven Pan - Sales Director

admin@xsmatech.com

WhatsApp +86 138 2608 3558

xsmatech.com